









RIZIA COULT OF ALCOHOLD STINCT



«Passione, Conoscenza, Ambizioni».

Fondata nel 2000, Atech Racing nasce dalla volontà dei soci fondatori di creare una filosofia «centrata sui piloti» negli accessori per gli sport motoristici. Prodotti di qualità, realizzati con le migliori tecnologie e materiali più sicuri, che hanno permesso al marchio di crescere rapidamente e di affermarsi come marchio di successo nel mercato globale. Oggi Atech Racing è un marchio noto e stimato, che vanta un catalogo molto attraente grazie ai suoi prodotti in stile riconoscibile.



RACING SUITS

UNDERWEAR SUITS

GLOVES

PILOT SHOES

MECHANICS SUITS

SEATS

BELTS

STEERING WHEELS

ACCESSORIES





SNAP INTO A RACING SUIT AND PLAY IT SAFE





RACING SUITS

Our racing suit, personally designed by our technicians, are extremely comfortable as well as being created with high quality fireproof materials. They can also be customized as desired.







SUITS NEW CHALLENGE

Complies with Fia Standard 8856-2000



2 layers suit | Fabric weight: 345g/mq | External fabric: Twill, 100% Nomex high resistance to usury and peeling | Lining: high breathable honey comb knitted fabric | 100% Aramidic Sleeves: in aramidic knitted fabric for optional comfort.












SUITS NEW CHALLENGE

APPROVED

Complies with Fia Standard 8856-2000



2 layers suit | Fabric weight: 345g/mq | External fabric: Twill, 100% Nomex high resistance to usury and peeling | Lining: high breathable honey comb knitted fabric | 100% Aramidic Sleeves: in aramidic knitted fabric for optional comfort.




















DETAILS IN THE SUITS

Complies with Fia Standard 8856-2000 Sizes: 44 / 66

Professional fireproof atech overall derive form experience in top level competitions and is and excellent combination between materials lightness and optimale transpiration thanks to new Honey comb internal tissue.

2 layers suit | Fabric weight: 345g/mq | External fabric: Twill, 100% Nomex high resistance to usury and peeling | Lining: high breathable honey comb knitted fabric | 100% Aramidic Sleeves: in aramidic knitted fabric for optional comfort.








POCKET CO-DRIVER

COLOR CHART



RACING SUITS







		44	46	48	50	52	54	56	58	60	62	64	66
	HEIGHT(CM)	163,0	166,0	169,0	173,0	176,0	179,0	182,0	186,0	189,0	192,0	196,0	199,0
1	CHEST (CM)	88,0	92,0	96,0	100	104,0	108,0	112,0	116,0	120,0	124,0	128,0	132,0
2	WAISTLINE (CM)	72,0	76,0	80,0	84,0	88,0	92,0	96,0	100,0	104,0	108,0	112,0	116,0
3	HIPS (CM)	85,0	89,0	93,0	97,0	101,0	105,0	109,0	113,0	117,0	121,0	125,0	129,0
5	ARM (CM)	53,5	54,5	55,5	56,5	57,5	58,5	59,5	60,5	61,5	62,5	63,5	64,5
7	SHOULDERS (CM)	42,4	43,6	44,7	45,9	47,0	48,2	49,3	50,5	51,6	52,8	53,9	55,1
8	BACH LENGHT (CM)	46,4	47,4	48,5	49,5	50,5	51,6	52,6	53,7	54,7	55,8	56,8	57,9
14	LOWER BODY (CM)	96,0	97,0	98,0	99,0	100,0	101,0	102,0	103,0	104,0	105,0	106,0	107,0
15	NECK TO NECK	147,7	151,0	154,3	157,7	161,0	164,3	167,6	170,9	174,2	177,5	180,8	184,1



UNDERWEAR

Complies with Fia Standard

8856-2000 / 8856-2018

Fia approved atech fireproof underwear range is able to meet the needs of all driver, from entry level models to body fit.

Sizes: S -M-L-XL-XXL

BALACAVA



BALACLAVA





UNDER SUITS



A.ST 006







A-UW 002 A-UW19 TOP

A-UW 006 A-UW19 TOP







GLOVES

Racing Glove, Fireproof, with silicone prints on the palm and fingers that give a good grip:

Lightweight, good grip, external seams for maximum sensitivity. The wrist is a stretch to fit optimal.





GLOVES

ATG001













APPROVED











PILOT SHOE

ATSH 001

Complies with Fia Standard 8856-2000

Colors: Black

Fireproof ankle boot with upper in suede leather, non-slip rubber sole and footbed with wide shapes to give maximum comfort over time.



A.ST 012
Nomex sock
Color: White



MECHANICS SUITS

Professionalism, resistance but at the same time comfort, our suits make the job of the mechanic more secure and pratical. In touch with tomorrow.





MECHANICS OVERRALS

A.TT 0301 OVERALLS



In cotton and polyester with internal neck/back/sleeves in knitted fabric | Reinforcements of knees and elbows | Comfortable front pockets | Elastic cuffs | Open bottom leg for optimal comfort Design directly derived from driver suits, high wear resistance with best comfort during daily use.











MECHANICS OVERALLS

A.TT 0300 OVERALLS





















SEATS

Our wide range of racing seats are the result of the innovative skills of our technicians. Ergonomically designed to be versatile, they can also be customized as desired.

NEW CARBON SEAT FIA 8862-2009



CARBON RS

LHT

ATCRS9 190 LHT

Complies with Fia Standard 8862-2009

Weight: 9,750 kg



CARBON RS

RACING SEAT





















The Atech CARBON RS LHT: has passed the stringent requirements of the standard FIA 8862-2009, designed for the new generation car, ideal for tall pilots, over 190 cm, its ergonomic shape allows a large integration in cars.

- Carbon shell
- Side head protection
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Technical insert
- 5 seat belt opening
- Lateral fixing









Steel side brackets for use only with RS/RS8/LHT carbon seats

APPROVED


















SIZE L












- Carbon shell
- Side head protection
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Technical insert
- 5 seat belt opening
- Lateral fixing













CARBON RSB

CARBON RS8

Complies with Fia Standard 8862-2009

LHT

ATCRS8 180 LHT

Weight: 9,450 kg

Total weight: 10,900 kg

CARBON RS7

ATCRS7 170

Complies with Fia Standard 8862-2009

Weight: 9,250kg





RACING SEAT





















The Atech CARBON RS: has passed the stringent requirements of the standard FIA 8862-2009, designed for the new generation car, ideal for pilots up to 175/180 cm, its ergonomic shape allows a large integration in cars.

- Carbon shell
- Side head protection
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Technical insert
- 5 seat belt opening
- Lateral fixing









use only with RS7 carbon seats



APPROVED MANUFACTURER ATECH MODEL: NORTH HOM: NO. CS 2247.11 FLA STANDARD MISS-1886

NORTH ATSPEX033

Complies with Fia Standard 8855-1999























Developed on the Extreme S2 seat's project, North Seat due to special ergonomic changes proves to be very suitable for riders taller than 185 cm.

- Gel-coated fiberglass shell
- Side head protection
- Peformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Technical inserts
- No slip cushion
- 5 seat belt opening
- Lateral fixing
- Weight: 8,600 kg







EXTREME S2 ATSPEX032

Complies with Fia Standard 8855-1999



















Seat born the profile is taken to the extreme form to be placed in very limited cockpits, suitable for rider up to 180 cm.

- Gel-coated fiberglass shell
- Side head protection
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Technical inserts
- No slip cushion
- 5 seat belt opening
- Lateral fixing
- Weight: 8,200 kg







APPROVED

PERFORMANCE SHP

ATSP020

Complies with Fia Standard 8855-1999


















First Atech Seat, is a very good compromise between dimensional optimization of Extreme and North Seats and a wider base for larger body, suitable for rider up to 185 cm.

- Gel-coated fiberglass shell
- Side head protection
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Technical inserts
- No slip cushion
- 5 seat belt opening
- Lateral fixing
- Weight: 8,400 kg





APPROVED MODEL ETS HOM NO CS 222.68 FIA STANDARD BESS III

TARGET ATS015

Complies with Fia Standard 8855-1999





















Seat with best performances, appreciated for versatile use, very good comfort, it is without side head protection, so it can be used also in very narrow cockpits.

- Gel-coated fiberglass shell preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Technical inserts
- No slip cushion pre shaped for easy use of seat
- Belt 5 seat belt opening
- Lateral fixing
- Weight: 7,300 kg






FIA APPROVED MANUFACTURER: ATEC MODEL TARGET IL. HOM NO CS 247 12 FIA STANDARD 8885-198











Seat with best performance, appreciated for its versatility. Very good comfort, designed without side-head protections. Ideal for tall and robust drivers.

- Twin of the Target Model, modified in height and width to adapt it to tall and robust drivers
- Coated Fiberglass Shell performed by A.S.S. (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour fabric covering
- Technical inserts
- Seat with anti-slip cushion pre-shaped for easy use
- 5 points seat belts
- Lateral fixings
- Weight 8,400 Kg








TARGET XL

Complies with Fia Standard 8855-1999

ATS016



APPROVED MANUFACTURER: ATECH MODEL: ETS HOM NO CS 222.68 FIA STANDARD 2005-1008

SIZE L

RSR **ATS 010**

Complies with Fia Standard 8855-1999






















- Gel-coated fiberglass shell
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Velour covering
- Standard technical inserts
- No slip cushion
- 5 seat belt opening
- Lateral fixing
- Weight: 7,300 kg









RACING SEAT

APPROVED MANUFACTURER: ATECH MODEL: ETS HOM NO CS 222.68 FIA STANDARD 2005-1008

SIZE L

EASY SEAT ATS 005

Complies with Fia Standard 8855-1999




















Entry level price for an high quality seat, thanks to the vtr shell, base with leg raise and two-tone finish.

- Entry level seat
- Fiberglass shell
- Fully light velour and fabric air covering
- 5 seat belt opening
- Lateral fixing
- Weight 7,000 kg







RAID 4X4 **ATSS 045**

Complies with Fia Standard 8855-1999





RACING SEAT



SIZE L















- Gel-coated fiberglass shell
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Sky covering
- Standard technical inserts
- No slip cushion
- 5 seat belt opening
- Lateral fixing
- Weight: 9,300 kg









NEW LINE CROSS SEATS



RACING SEAT



CROSS ATS002

Complies with Fia Standard 8855-1999























SIZE L

SIZE M

Seat born the profile is taken to the extreme form to be placed in very limited cockpits, suitable for rider up to 180 cm.

- Gel-coated fiberglass shell
- Preformed shell with ASS (Anatomic shell system)
- New seat belt slot fixed to the shell
- Technical inserts
- 5 seat belt opening
- Lateral fixing
- Weight: 8,200 kg







RACING SEAT

APPROVED

EXTREME S2 CROSS ATSPEX032CRS

Complies with Fia Standard 8855-1999






















• Gel-coated fiberglass shell

Side head protection

up to 180/185 cm.

• Preformed shell with ASS (Anatomic shell system)


New seat belt slot fixed to the shell

Technical inserts

• 5 seat belt opening

Lateral fixing


• Weight: 8,000 kg











HARNESSES

ATHA 0302 ATHA 0304 ATHA 0306

A complete high quality Harnesses range to be able to satisfy any costumers requests.



ATAH 0304



FIA 8853-2016 (R5/WRC)
HARNESSES 6 POINT 2/3" HANS
2 ALUMINIUM
ADJUSTERS + 2 STEEL
ADJUSTERS LIGHT



ATHA 0302



FIA 8853-2016 HARNESSES 6 POINT R6

AVAILABLE ON REQUEST



ATHA 0306



(R5/WRC)

HARNESSES 6 POINT 2/2" HANS 4 ALUMINIUM ADJUSTERS ULTRA-LIGHT

AVAILABLE ON REQUEST





STEERING WHEELS



STEERING WHEELS

A full range of steering wheels for all motorsport applications





ATVO 0104

Steering wheels 2 spokes Diam. 330mm - 90mm Deep Suede covered



ATVO 0100

Steering wheels 3 spokes Diam. 330mm Suede covered

ATVO 0101

Steering wheels 3 spokes Diam. 350mm Suede covered

ATVO 0102

Steering wheels 3 spokes Diam. 350mm - 90mm Deep Suede covered

ATVO 0103

Steering wheels 3 spokes
Diam. 350mm - 65mm Deep
Suede covered



ACCESSORIES

rodna


ATBC 0300

Canned circular key ring to be included in the spare wheel available for wheels from 13 to 18 inches.



ATBO 0113

Codriver Bag with connections for fixing a roll-bar.







92









New bag atech fashionable, perfect to hold the racing suit and practice time and comfortable.





ATBS 001 SPORT BAG

Take everything you need with you with this practical and compact bag Atech. The side pocket and the front compartment with zip closure allow you to have the essential items always. Capacity 45 litres - Zip Closure - Diameter cm 32 - Length cm 60.





Rice sitting rigid

anatomic all Carbon Seats



ATRC 0200

CAMEL BAG

WATER BAG HOLDER WITH CONNECTIONS FOR SEATS







Raid/Rally helmet case with light velour glove compartment

ATPC 0105

Raid/Rally helmet case with light velour glove compartment

ATPC 0107














ATRC 0252 Anatomic complete kit adapter Carbon seat



ATRC 0249 - ATRC 0250

Anatomic complete kit adapter Standard seats



ACCESSORIES

ATSU 0290

Atech seat support for showroom







AT BRK-18 L
Steel side brackets for use only
with RS/RS8 LHT carbon seats



Steel side brackets for all other seats Fia 8855-1999



BRK C-RSSteel side brackets for use only with RS7 carbon seats



ATAL 0318
Aluminum brackets



ATRC 0202

(con protezioni)
Black tear-resistant seat cover



ATRC 0201

(senza protezioni)
Black tear-resistant seat cover


























T-SHIRT **ATSW 001**

T-SHIRT 100% Cotton 165 gr/m² single Jersey - Soft to the touch.

Colors: White/Black/Grey/Bue









ATTW 002 | Shirt short sleeve (1color) ATTW 004 | Shirt long sleeve (1color)



ATSW 001 | T-SHIRT





RACE HAT ATRH 001

100% Brushed cotton In Summer and Winter version

Colors: White/Black/Bicolored













ATRH 001





HEADOLIARTER

ATECH sarl

Route Alhaouaria km 82.5

Kelibia 8090

Tunisie

PH: +216 28 114 031

Fax: +216 72 296 462

head@atechracing.net

info@atechracing.net

DISTRIBUTOR FUROPE

SHOW ROOM

ATECH srl

Via Roma, 22

14023 Cocconato

Italy

PH: +39 0141 907006 ordini@atechracing.net info@atechracing.net







www.atech-racing.com